


KEMMLIT® | locker systems



Locker systems | overview



Locker systems – elegant, robust and individual	Page 3
IXOS®L – the filigree design solution with HPL locker carcass and glass door	Page 4
IXOS®P – the flexible premium solution with HPL locker carcass	Page 5
Type R – the wet room solution with aluminium carcass	Page 6
Type S – the affordable solution with hot galvanised steel carcass	Page 7
Personnel lockers – a compartment for anyone	Page 8
Wardrobe lockers – tailor-made	Page 8
Deposit box lockers – under lock and key	Page 9
Lockers for valuables – versatile and space saving	Page 9
Fittings – practical and comprehensive	Page 10
Doors, lock options and accessories	Page 11
Technical information and planning aids	Page 12
Colour range – nearly limitless	Page 14
KEMMLIT – ten good reasons	Page 15



Locker systems | elegant, robust and individual

Tailor-made system solutions for personnel lockers, wardrobe lockers, deposit box lockers, and lockers for valuables in outstanding design and top quality.

KEMMLIT locker systems are a perfect combination of high quality and proven materials and adapted to the specific architectural design and the area of use – irrespective of whether in wet areas or suitable for industry, proof against foodstuffs, corrosion-resistant, space-saving, easy to clean or robust.

KEMMLIT's decades of experience in the building sector has made us the market leader in Germany, for example in the fitting out of swimming baths.


KEMMLIT locker systems meet the requirements of our most demanding customers in terms of design and quality. Our clients confirm this in regularly conducted customer surveys.

KEMMLIT locker systems also surpass current technical requirements regarding functionality, safety, and durability. This has been confirmed by the German technical inspection association TÜV.

Best of all: our project service always includes advice, site measurement, production, delivery and fitting!

We also realise "exotic" commissions! Simply ask your nearby personal KEMMLIT representative or speak to our project engineers.





Wolfram Wöhr / Jörg Mieslinger,
architects wwa Munich / wma Stuttgart



Engraved number plates made of aluminium
with flush-mounted special screw fittings and
a smooth external hinge cover plate



IXOS® L | the filigree design solution

with HPL locker carcass and glass door


IXOS L – The high quality locker system for an exclusive atmosphere – ideally suited for combination with the NOXX cubicle system.

The exclusive design – linear and elegant – characterises the filigree construction. The IXOS L design originated from the co-operation of our development engineers with renowned architects.

The projecting rectangular door profiles, filigree and flush-mounted hinges as well as the special recessed glass screw fittings guarantee a smooth and attractive design solution.

The locker carcass consist of a melamine-resin coated, solid grade high pressure laminate (HPL) panels, connected by means of aluminium profiles. This guarantees maximum durability.

The doors are made of an 8 mm thick toughened safety glass. The edges are sanded. The glass is endowed with a high quality ceramic silk screen print. IXOS L offers 5 attractive glass colours – special colours are available on demand!





IXOS® P | the flexible premium solution

with HPL locker carcass

Tailor-made IXOS P locker systems for all kinds of applications – TÜV approved, robust and flexible!

The locker carcass consists of melamine-resin coated, solid grade high pressure laminate (HPL) panels, connected by means of special aluminium profiles and which can be fitted on site thanks to an innovative plug-in construction.

This product's special characteristic is water-resistance, easiness to clean as well as its resistance to breakage, impact, and scratching.


Two different door options are available. The doors can be made from 8 mm thick toughened safety glass with a ceramic screen print in a selection of 5 colours. As an alternative, the doors can be made of a 13 mm thick HPL panel with a selection of 18 standard colours (special colours available on request).


The glass doors are attached with a satin anodised clamping profile. The hinges have recessed screw fittings. The HPL door can either be fitted with smooth surfaced, projecting door profiles or with elegant recessed door profiles.

Our project engineers meet every construction and design demand in cooperation with architects and customers. All measurements, colours, and configurations can be selected individually, since the lockers are produced individually for each customer.

Robust equipment details such as our stainless steel hinges and stainless steel door restraints as well as standard break-in blocking guarantee reliable function even under the most difficult conditions.

Attached bench seating, sloping tops or special ventilation extend the range of uses for IXOS P.





Type R | the wet area solution

with aluminium carcass

The locker design made of environmentally friendly, easy to clean and seawater resistant aluminium. This high quality aluminium material familiar from shipbuilding is 100% corrosion resistant even on the cut edges.

Type R is ideally suited for personnel lockers, wardrobe lockers, deposit box lockers, and lockers for valuable items.

Thanks to the intelligent compression joint procedure – familiar from car and aircraft construction – a form-closed connection with a high transverse tensile strength is created without welding. The locker system is TÜV approved.

There is a choice between two high quality door options. On the one hand, the locker doors can be made from a 13 mm thick HPL material with a special overlay as protection against scratch and damage. There are 18 standard colours available. The edges are rounded to reduce the risk of accidents.

Alternatively, there is a 15 mm thick double shelled aluminium door, which is seawater- and scratch resistant thanks to the paint surface "Crystal Coat", available in six colours. This stove-enamel finish guarantees a long life span and hygienically flawless cleaning. Thanks to its ultra-violet resistance it can even be placed outdoors without any worries.



Type S | the affordable solution

with hot galvanised steel carcass

The tailor-made locker solution made out of thin steel sheet metal with scratch- and abrasion resistant stove enamel finish. The lockers possess increased corrosion resistance thanks to galvanisation with an aluminium component. The intelligent compressed joint procedure preserves the protective layer and protects the locker against corrosion. This KEMMLIT locker system is also TÜV approved!

Two door options are available. The steel sheet metal door is hot galvanised, double shelled and 15 mm thick, impact and warp resistant and equipped with specially developed and accident proof rounded corners. In addition to the 7 standard colours, almost all RAL-colour tones can be realised.


The second option is a locker door made from a 13 mm thick HPL material with a special overlay that is scratch and damage resistant. A decorative coat in 18 colours is available. All the corners are rounded to reduce the risk of accidents.

Type S is ideal as an especially affordable solution for individual and long lasting personnel lockers, wardrobe lockers, deposit box lockers and lockers for valuable items. Naturally, KEMMLIT's complete service is also included in the offer with this system.

Advice, site measurement, production, delivery and fitting – everything under one roof and with budget certainty! The highest quality and perfect design does not always have to be expensive. Allow our technicians to advise you!



Innovative compression joint procedure to protect against corrosion



Air ventilation through integrated air duct





Personnel lockers | a compartment for anyone

Whether it be in the chemical, pharmaceutical, food, or car industry, the requirements are high and very diverse – what is required are tailored solutions.

Personnel lockers are normally allocated to individual employees. Through the labelling with name plates and personal keys a secure private area can be guaranteed.

The separation of street clothes and work clothes is very important or even prescribed in many factories where severe soiling and odours exist.

For this KEMMLIT has proven solutions: double lockers with a pair of closing doors secured with a single lock for the separation of street clothes and work clothes. Alternatively, lockers with one door and a movable or fixed partition or without partition.

Another sophisticated equipment version is our specially developed sloped top version. Nothing can be left on top of the lockers!

By means of a ventilation system additionally integrated in the sloped top moist working clothes can be dried overnight!



Wardrobe lockers | tailor-made

Whether at the swimming pool, sauna, gym, rehabilitation-, spa- or care centre – you want to be sure your clothes are in safekeeping.

Like a good suit, wardrobe lockers also need to be tailored to the exact height, depth, and width of the interior design.

The system can be fitted as a wall hung construction, or with supporting stand or on an in situ plinth. Attached bench seating is also available.

In addition to special requirements for wet area suitability and break-in resistance, individual and comprehensive interior fittings in particular, such as top hooks, hat racks and air ventilation systems are of great importance.

Z-lockers are a frequently employed version in case it is important to save space while still enabling the user to hang up long articles of clothing.

The version with an 8mm thick toughened safety glass door represents a high quality design oriented solution. This is available in five standard colours – on request also in special colours!



Deposit box lockers | under lock and key

For permanent use or changing occupation. Whether in leisure parks, fitness centres or other sport facilities, in schools, or universities – rucksacks, motorcycle helmets and bags need a place under “lock and key”.

The stylish systems from KEMMLIT provide vandal resistant deposit boxes, with increased break-in protection thanks to special securing pins, projecting door profiles, and other sophisticated features. We will be happy to advise you personally in this regard.

Cam locks, electronic locking systems, coin return locks or coin retain locks – all lock options are available.

Our project engineers realise variable compartment sizes and divisions according to the objects stored in connection with the particular interior equipment and the building-related colour scheme, according to your wishes.

The lockers designs are technically sophisticated, accident-proof, maintenance-free, require little cleaning and permit easy operation. This is the result of decades of experience and KEMMLIT’s product development oriented to practical demands.



Lockers for valuable items | versatile and space saving

Where can one store valuable items such as sunglasses, mobile phones, or small change? KEMMLIT’s lockers for valuable items are space-saving, very robust and optically flawless!

The small units offer users in the most cramped circumstances a safe place for the small, but valuable things in life!

The lockers for valuable items from KEMMLIT are designed for swimming baths and leisure parks, and are ideal in combination with wardrobe lockers or deposit box lockers.

The range of use has continuously expanded in recent years. For example, some camping grounds today use it as secure mobile phone loading ports with an integrated plug socket for their guests.

Thanks to the solid carcass, the stainless steel hinges and robust doors good break-in protection is also guaranteed. Naturally, here too the most varied kinds of locking systems can be integrated.



Locker systems | practical and comprehensive fittings

Interior fittings:



Studded base made of sheet metal, alternatively HPL base without studs



Grated base with aluminium supporting stand



Perforated sheet metal base or alternatively HPL base with drilled holes



Intermediate shelf made of sheet metal, or HPL with a double top hook



Hat shelf made of sheet metal or HPL with double clothes hooks




Hat box with sliding double clothes hooks



End panels made from HPL, aluminium, steel or glass



Sloped top, also available with air ventilation system



Rhombus shaped ventilation perforation



Double shelled door made from steel or aluminium with rounded corners



Stainless steel door restraint (90°)



Robust stainless steel hinges with solid screw fittings



Stainless steel peg and eyelet to increase the security of the locker



Number plate or engraved number for HPL doors



Attached bench seating with solid HPL seats

Locker systems | doors, lock options and accessories

Doors:



Double shelled steel door (15 mm thick), made of hot galvanised and colour-coated thin sheet metal in compliance with DIN EN 10214

Solid grade HPL (13 mm thick) door with additional overlay as protective coat in accordance with DIN 438

Double shelled aluminium door (15 mm thick), made out of seawater resistant aluminium varnished with a three-layer enamelled "Crystal Coat" cover in accordance with DIN 1725



Real glass door made from toughened safety glass (8 mm thick) with a ceramic silk screen print and sanded edges in accordance with DIN 1249 T12

Locking systems:



Swivel latch lock



Self closing KABA latch lock with spring



Cam lock




Ticket / coin return lock or coin retain lock



Electronic locking system

Accessories:



Wardrobe coat hanger made of plastic which includes a nylon net bag








Wrist bands in an assortment of colours and designs

Locker systems | technical information

and planning aids

System	Carcass	Doors	Interior equipment	Combination recommendations
IXOS L	<ul style="list-style-type: none"> ■ 4 mm thick HPL side panels ■ 8 mm thick HPL top and base ■ Melamine resin coated surface ■ Colour: white ■ Satin anodised aluminium profiles ■ Flat top ■ Optionally as single or 2-tier unit ■ Height: 2135 mm incl. plinth ■ Closed aluminium plinth, height: 70 mm ■ Width 300 mm ■ Depth 520 mm 	<ul style="list-style-type: none"> ■ 8 mm thick toughened safety glass ■ Ceramic silk screen print ■ 5 inorganic colours ■ Recessed screw fittings ■ Smooth surface, rectangular, projecting satin anodised aluminium profiles ■ Smooth surface appearance ■ Stainless steel hinges ■ Door restraint 	<ul style="list-style-type: none"> ■ Closed carcass base ■ Carcass base and top are recessed from the door for effective air ventilation ■ Single tier unit with hat box made of 3 satin anodised aluminium tubes, with two sliding double clothes hooks ■ 2 tier-unit with intermediate shelf and one double clothes hook for each compartment 	<ul style="list-style-type: none"> ■ cubicle system NOXX ■ Wet area doors type T ■ bench seating type U ■ vanity unit NOVIS ■ shelves made from glass <p>Your KEMMLIT representative will be glad to assist you personally!</p>
IXOS P	<ul style="list-style-type: none"> ■ Modern plug-in design ■ 4 mm thick HPL side panels ■ 8 mm thick HPL locker base and top ■ Melamine resin coated surface ■ Colour: white ■ Powder-coated or satin anodised aluminium profiles ■ Flat or sloped top ■ Alternatively supporting stand with or without attached bench seating, or wall hung construction ■ Set up on in situ plinth also possible ■ Sizes and measurements are fitted to customer preferences ■ Engraving on end panels (HPL) available 	<p>Option 1</p> <ul style="list-style-type: none"> ■ 8 mm thick toughened safety glass ■ Ceramic silk screen print ■ 5 inorganic colours ■ Recessed satin anodised door profiles ■ Satin anodised aluminium clamping profiles ■ Stainless steel hinges ■ Door restraint <p>Option 2</p> <ul style="list-style-type: none"> ■ 13 mm thick HPL ■ rectangular profiles either recessed or projecting; powder-coated or satin anodised ■ 18 colours with overlay ■ Stainless steel hinges ■ Door restraint ■ Number plate or engraved number 	<ul style="list-style-type: none"> ■ Optionally with closed, perforated or grated base ■ Locker base and top are recessed from the door for effective air ventilation ■ Interiors can be chosen for every locker construction (personnel / wardrobe / deposit box / or lockers for valuables) 	<ul style="list-style-type: none"> ■ cubicle system cronus ■ cubicle system type F ■ wet area door type T ■ bench seating type U ■ vanity unit type W HPL <p>Your KEMMLIT representative will be glad to assist you personally!</p>
Type R	<ul style="list-style-type: none"> ■ Aluminium carcass ■ Sea water resistant ■ Recyclable ■ Innovative compression joint procedure ■ Enamelled overlay in a lagoon white colour ■ Flat or sloped top ■ Alternatively supporting stand with or without attached bench seating, or wall hung construction ■ Set up on in situ plinth also possible ■ Sizes and measurements are fitted to customer's preference 	<p>Option 1</p> <ul style="list-style-type: none"> ■ Aluminium ■ 15 mm thick, double shelled ■ Rounded corner profile ■ "Crystal coat" overlay ■ 6 colours ■ Stainless steel hinges ■ Door restraint ■ Number plate is available <p>Option 2</p> <ul style="list-style-type: none"> ■ 13 mm thick HPL ■ 18 colours with overlay ■ Stainless steel hinges ■ Door restraint ■ Number plate or engraved number 	<ul style="list-style-type: none"> ■ Optionally with studded, perforated or grated base ■ Air ventilation through perforation available ■ Interiors can be chosen freely for each locker construction (personnel / wardrobe / deposit box/or lockers for valuables) 	<ul style="list-style-type: none"> ■ cubicle system cronus ■ cubicle system type F ■ wet area door type T ■ bench seating type U ■ vanity unit type W HPL <p>Your KEMMLIT representative will be glad to assist you personally!</p>
Type S	<ul style="list-style-type: none"> ■ Steel carcass ■ Galvanised ■ Innovative compression joint procedure ■ Enamelled overlay in a lagoon white colour ■ Flat or sloped top ■ Alternatively supporting stand with or without attached bench seating, or wall hung construction ■ Set up on in situ plinth also possible ■ Sizes and measurements are fitted to customer's preference 	<p>Option 1</p> <ul style="list-style-type: none"> ■ Steel sheet metal ■ 15 mm thick, double shelled ■ Rounded corner profile ■ Colours according to RAL ■ Stainless steel hinges ■ Door restraint ■ Number plate is available <p>Option 2</p> <ul style="list-style-type: none"> ■ 13 mm thick HPL ■ 18 colours with overlay ■ Stainless steel hinges ■ Door restraint ■ Number plate or engraved number 	<ul style="list-style-type: none"> ■ Optionally with studded, perforated or grated base ■ Air ventilation through perforation available ■ Interiors can be chosen freely for each locker construction (personnel / wardrobe / deposit box / or lockers for valuables) 	<ul style="list-style-type: none"> ■ cubicle system cronus ■ cubicle system type F ■ wet area door type T ■ bench seating type U ■ vanity unit type W HPL <p>Your KEMMLIT representative will be glad to assist you personally!</p>


Locker constructions	Applications	Standard dimensions (special dimensions on request)	Specific features
Personnel lockers ■ IXOS L* ■ IXOS P ■ Type R ■ Type S	Client groups: ■ Industry / administration ■ Pharmaceutical / medical ■ Automobile sector ■ Hotels / gastronomy ■ Food sector ■ Hospitals ■ etc. Areas of use: ■ Street / work clothes ■ Personnel ■ And much more ...	 variable number of lockers	Single tier unit max. carcass height 2000 mm max. carcass width 600 mm max. carcass depth 800 mm Standard depth 520 mm Double locker with a pair of closing doors secured with a single lock. Locker with one door and either movable or fixed partition – alternatively without partition. *IXOS L: Fixed carcass height 2065 mm Fixed carcass width 300 mm Fixed carcass depth 520 mm
Wardrobe locker ■ IXOS L* ■ IXOS P ■ Type R ■ Type S	Client groups: ■ Swimming baths ■ Sauna ■ Hotels / gastronomy ■ Spas ■ Fitness ■ etc. Areas of use: ■ Clothes ■ Shoes ■ Bags ■ And much more ...	 variable number of lockers	Single up to 3-tier unit max. carcass height 2000 mm max. carcass width 600 mm max. carcass depth 800 mm Reinforced break-in protection. Space-saving Z-lockers possible (except IXOS L). *IXOS L: single or 2-tier unit fixed carcass height 2065 mm fixed carcass width 300 mm fixed carcass depth 520 mm
Deposit box lockers ■ IXOS P ■ Type R ■ Type S	Client groups: ■ Schools ■ Universities ■ Hospitals ■ Therapeutic facilities ■ Administrative buildings ■ etc. Areas of use: ■ Bags / clothes ■ Motorcycle helmets ■ Deck chairs ■ Bridles / saddles ■ Sport equipment ■ And much more ...	 variable number and width of lockers	Single up to 6-tier-unit max. carcass height 2000 mm max. carcass width 600 mm max. carcass depth 800 mm Variable locker compartment sizes according to stored items
Lockers for valuable items ■ IXOS P ■ Type R ■ Type S	Client groups: ■ Swimming baths ■ Camping sites ■ Leisure parks ■ Sauna / fitness ■ etc. Areas of use: ■ Mobile phones ■ Keys ■ Glasses ■ Small change ■ And much more ...	 variable number of compartments variable numbers of lockers	Single up to 9-tier unit max. carcass height 2000 mm Minimum dimensions for compartments: HPL / aluminium / steel doors Height 200 mm Width 200 mm Depth 200 mm Glass doors Height 280 mm Width 250 mm Depth 200 mm
Locker support and top options			
<div>Supporting stands can have plinth infill panels on request. All locker constructions are available with either flat or sloped top.</div> <div><div><div>1.</div><div>Supporting stand made from aluminium with adjustable legs</div></div><div><div>2.</div><div>In situ concrete plinth</div></div><div><div>3.</div><div>Supporting stand with attached bench seating, height 460 mm</div></div><div><div>4.</div><div>In situ concrete plinth with attached bench seating</div></div><div><div>5.</div><div>Wall hung construction</div></div><div><div>6.</div><div>Flat top</div></div><div><div>7.</div><div>Sloped top (air ventilation system is available)</div></div></div>			

Supporting stands can have plinth infill panels on request. All locker constructions are available with either flat or sloped top.

Colour range | nearly limitless


Locker doors made from HPL / glass / aluminium, panels and bench seating:

HPL/alum./glass



White 9095

HPL/alum./glass




Pale grey 7095

HPL/aluminium



Pale yellow 1095

HPL/aluminium




Pale blue 5095

HPL/aluminium



Pale green 6095

HPL



Peppered white 9095P

HPL



Peppered pale grey 7095P

HPL




Peppered pale yellow 1095P

HPL



Peppered pale blue 5095P

HPL



Peppered pale green 6095P

HPL



Frosted white 9095S

HPL



Pearl white 7195

HPL



Yellow 1195

HPL



Bright blue 5295

HPL



Leaf green 6195

HPL/alum./glass



Anthracite 7603

HPL/glass




Poppy 3195

HPL



Beech wood 0304


glass



White green 6504

Aluminium profiles and steel doors:

steel/aluminium profiles



White 02

steel/aluminium profiles



Manhattan 05

steel/aluminium profiles




Yellow 10

steel/aluminium profiles



Dark blue 04

aluminium profiles



Satin anodised* 08

steel/aluminium profiles



Dark grey 03

steel/aluminium profiles



Red 11

steel/aluminium profiles



Dark red 01

**Glass doors only available with satin anodised profiles!*

For typographic reasons, the colours shown may slightly differ from the original colour. Special colours are available on request.

To fully utilise all design possibilities of our locker systems, please speak with your personal KEMMLIT representative. He will gladly advise you regarding all technical solutions and details!

Tel. + 49 (0) 70 72 / 131-0

Fax + 49 (0) 70 72 / 131-150

info@kemmlit.com



KEMMLIT | ten good reasons

- 1.** 100 years of experience and market leadership
- 2.** Extensive product range
- 3.** Product innovation with top design
- 4.** Top quality in terms of material and processing
- 5.** Harmonising solutions
- 6.** Individual consulting service by professional sales representatives
- 7.** Quick quotation processing
- 8.** Prompt and on-schedule delivery
- 9.** Professional installation on site
- 10.** One-stop service

For further information and references: www.kemmlit.com

**Individual
sanitary fittings
by KEMMLIT**

For example:

Changing cubicles
Toilet cubicles
Shower cubicles
Locker systems
Vanity units
Bench seating
Baby changing stations
Doors and frames

**KEMMLIT-
Bauelemente GmbH**

Maltschachstraße 37
D-72144 Dusslingen
Germany

Tel.: +49 (0) 70 72 / 1 31-0
Fax: +49 (0) 70 72 / 1 31-150

www.kemmlit.com
info@kemmlit.com

